## **Creating CVS Projects**

This note describes how to create a new software project from scratch, how to place the project into the CVS repository and, finally, how to add an alias for your new project to the CVS modules file so that you can access your project with the shorthand form of the CVS commands. Throughout the note references are made to rfies as the developer's organization, please substitute the name of your organization where necessary.

## 1.0 Creating New Projects

Creating a new project is quite painless. Here's how:

1) Select a name for your new project. Short descriptive names are best (e.g., io100 for the IO-100 board drivers.) Make sure that your chosen project name is not already in use by issuing the incvs command which checks the repository and reports whether the supplied name has already been used.

incvs xxx

where **xxx** is the name you have chosen your new project.

2) Use the setup tool to create a working directory for your new project:

setup xxx

where **xxx** is the name you have chosen your new project. The setup tool will offer to provide template make and target files by asking a series of yes—no questions. You may have to edit and/or rename some of these template files to tailor them to your specific needs.

3) Add your project files to the working directory and try to get the new project into functioning form before committing to the repository. This will minimize the number if superfluous repository revisions. When you have a clean and operational project in your working directory you may create a CVS repository using the procedure in **2.0** below.

## 2.0 Creating New CVS Repositories

Creating a new CVS repository for your project is a bit more complicated than creating the project itself. Here's how:

- 1) The files to be placed into the repository should be in a "working directory" (e.g., io100 when creating the io100 project repository.) Make sure that this working directory contains only the files to be placed into the repository. Only source and project control files are suitable for the repository. The Target, Headers, \*.doc and object files should not be placed into the repository since they are automatically generated. A 'make clean' should do the job.
- 2) Make sure that all files in the working directory have owner and group write permissions:

chmod 664 \*

3) Place the files into the CVS repository:

cvs import fermi/org/shared/xxx FERMI initial

where org is your organization's name and xxx is your shared library project name, or:

cvs import fermi/org/fe/xxx FERMI initial

where org is your organization's name and xxx is your front-end project name, or:

cvs import fermi/org/dsp/xxx FERMI initial

where org is your organization's name and xxx is your DSP project name. At this point CVS will put you into an editor so that you can provide a comment as to the nature of your activity. Enter a meaningful message at the top of the editor window like "Creation of new Low Level RF shared project io100." and close the file.

4) At this point a copy of your files has been placed into the repository and your working directory still contains the original files. You should save your working directory contents in case something went wrong during the process, for example:

```
mv xxx xxx_orig
```

- 5) If you have not already done so add an alias for your project to the CVSROOT modules file using the procedure in **3.0** below.
- 6) To get a working copy of your project in a sandbox directory use the setup tool:

setup xxx

and follow the prompts, or cd to your sandbox directory (~/esd/src) and use the cvs checkout command:

cvs checkout xxx

to get a project sandbox in your cwd.

## 3.0 Adding a Project Alias to the CVSROOT modules File

The CVS repository exists in a file hierarchy underneath \$CVSROOT/fermi. DSP libraries are in \$CVSROOT/fermi/org/dsp, shared libraries are in \$CVSROOT/fermi/org/shared and front-end projects are in \$CVSROOT/fermi/org/fe. Again, org is your organization's name. When issuing CVS commands it is tedious to type path names like fermi/rfies/shared/io100 so the CVS'ers provided a way of specifying aliases for projects. CVS project aliases are defined in a modules file that is itself within the CVS repository. To add a CVS alias for your project you must get a copy of the CVS modules file in your sandbox, modify it to include your alias specification(s) and put it back into the repository. Here's how:

If you already have a copy of the CVSROOT project in your sandbox you MUST update the project:

setup CVSROOT

update

and go on to step 4 below. Otherwise you need to get a copy of the CVSROOT project as outlined in steps 1 through 3 below, then continue the procedure at step 4.

1) move to your sandbox directory:

cd \$USER\_SANDBOX\_DIR

2) check out the CVSROOT project and move into its directory:

cvs checkout CVSR00T cd CVSR00T

3) open the modules file with your favorite editor:

nedit modules

- 4) Add the alias specification(s) for your project(s). Follow the examples set by previous projects already in the modules file. Recall that projects are classified as dsp, shared or fe and should be placed in the appropriate section of the modules file.
- 5) in case someone else was editing the modules file and committed it while you were working, you need to update your copy to merge in any changes:

cvs update

6) put the file back into the repository:

cvs commit

At this point CVS will put you into an editor so that you may provide a comment as to the nature of your changes. Enter a meaningful message at the top of the editor window like "Added alias for shared project io100." and close the file.

7 - optional) you can release and delete your sandbox copy of the CVSROOT project:

cd ..

cvs release -d CVSROOT

This is not necessary since CVS is non-locking and having a copy in your sandbox will not affect the work of others. In fact, if you are going to add aliases to the modules file often you might want to keep the CVSROOT project in your sandbox. If you do keep the CVSROOT project in your sandbox remember to do an update before you make any future changes to the modules file.

End.